



Notified Body No. 2310
„CERTBUD” Sp. z o.o.
Str. Mokotowska 46/8, 00-543 Warsaw, PL



AC 158

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 2310-CPR-Z684

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Steel chimneys – chimney system components

trade name: **Acid-proof and heat-resistant round chimneys
NIKO STS/STF EDEL B**

classified as:

EN 1856-1 T600 N1 W VM L50050 G50 for diameters in the range of 100 mm to 150 mm
EN 1856-1 T600 N1 W VM L50060 G50 for diameters in the range of 151 mm to 300 mm
EN 1856-1 T600 N1 W VM L50080 G50 for diameters in the range of 301 mm to 500 mm

Single and multi-wall system chimney products with rigid metallic liners (chimney section, chimney fittings and terminals, including supports) used to convey the products of combustion from appliances to the outside atmosphere.

produced by:

KAMINZENTRUM NIKO KamineundSchornsteine.de GmbH

Westhafen Str. 1, 13353 Berlin

and produced in the manufacturing plants:

Z684-Z1 and Z684-Z2

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

EN 1856-1:2009

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate replaces the certificate issued on **26 February 2014r.** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Warsaw ,28 February 2014r.



Chairman

„CERTBUD” Sp. z o.o.

B. Jaspinska
Barbara JASPINSKA