

























**DOUBLE-WALLED CHIMNEYS FOR CONDENSATING BOILERS NIKO STS LUFT B**

DRAWING	ELEMENT	Ø DIAMETER		
	SYMBOL	PRICE NET (EUR)		
	Horizontal launcher	D.60/100	D.80/125	D.100/150
	BSL-1	<b>37,85</b>	<b>38,80</b>	<b>45</b>
	Vertical launcher	D.60/100	D.80/125	D.100/150
	BSL-2	<b>24,52</b>	<b>24,52</b>	<b>28,57</b>
	Collar	D.60/100	D.80/125	D.100/150
	BSL-3	<b>12,14</b>	<b>12,14</b>	<b>14,28</b>
	Roof-plate 0°	D.60/100	D.80/125	D.100/150
	BSL-4	<b>10,23</b>	<b>10,23</b>	<b>12,14</b>
	Roof-plate 5-45°	D.60/100	D.80/125	D.100/150
	BSL-5	<b>26,42</b>	<b>28,57</b>	<b>30,71</b>
	Pipe 1000mm	D.60/100	D.80/125	D.100/150
	BSL-6	<b>48,57</b>	<b>51,90</b>	<b>69,28</b>
	Pipe 500mm	D.60/100	D.80/125	D.100/150
	BSL-7	<b>27,38</b>	<b>30,71</b>	<b>39,76</b>
	Pipe 333mm	D.60/100	D.80/125	D.100/150
	BSL-8	<b>19,76</b>	<b>21,66</b>	<b>28,09</b>
	Pipe 250mm	D.60/100	D.80/125	D.100/150
	BSL-9	<b>12,38</b>	<b>14,28</b>	<b>18,33</b>

	Pipe with condensate tray	D.60/100	D.80/125	D.100/150
	BSL-10	<b>25</b>	<b>28,09</b>	<b>35,95</b>
	Pipe with inspection	D.60/100	D.80/125	D.100/150
	BSL-11	<b>22,61</b>	<b>25,71</b>	<b>32,61</b>
	Stabilizer	D.60/100	D.80/125	D.100/150
	BSL-12	<b>7,38</b>		
	T-joint 90°	D.60/100	D.80/125	D.100/150
	BSL-13	<b>53,09</b>	<b>56,66</b>	<b>75,47</b>
	T-joint 90° with condensate tray	D.60/100	D.80/125	D.100/150
	BSL-14	<b>69,28</b>	<b>73,09</b>	<b>91,90</b>
	Reducing T-joint 90° with condensate tray	D.60/100	D.80/125	D.100/150
	BSL-15	<b>76,42</b>	<b>80,47</b>	<b>100,95</b>
	T-joint 90° with plug	D.60/100	D.80/125	D.100/150
	BSL-16	<b>69,28</b>	<b>73,09</b>	<b>91,90</b>
	Bent pipe 90°	D.60/100	D.80/125	D.100/150
	BSL-17	<b>53,09</b>	<b>56,66</b>	<b>75,47</b>

	Bent pipe 90° with support	D.60/100	D.80/125	D.100/150
	BSL-18	<b>58,33</b>	<b>62,38</b>	<b>83,09</b>
	Bent pipe 15°, 30°, 45°	D.60/100	D.80/125	D.100/150
	BSL-19	<b>35,47</b>	<b>37,85</b>	<b>50,23</b>
	Boiler connection	D.60/100	D.80/125	D.100/150
	BSL-20	<b>53,09</b>	<b>56,66</b>	<b>75,47</b>
	Boiler reducing connection	D.60/100	D.80/125	D.100/150
	BSL-21	<b>58,33</b>	<b>62,38</b>	<b>83,09</b>
	Separator	D.60/100	D.80/125	D.100/150
	BSL-22	<b>76,42</b>	<b>76,42</b>	<b>84,52</b>
	Round collar	D.60/100	D.80/125	D.100/150
	BSL-23	<b>12,14</b>	<b>12,14</b>	<b>14,28</b>
	Reduction	D.60/100	D.80/125	D.100/150
	BSL-24	<b>30,71</b>	<b>30,71</b>	<b>38,80</b>